

CANOCO 4.5

NEW CANODRAW

Version 4.5 of CANOCO is bundled with a full Windows version of CanoDraw, simplifying the production of publication-quality graphics for Canoco data sets of any size. CanoDraw now also includes modern regression tools (GLM and GAM) for modelling species response to the environment or to ordination axes. 🍌

NEW ANALYSES

New is the program PrCoord which allows you to perform Principal Coordinates

some spreadsheet programs. This nicely complements the data input from spreadsheets and other programs via the Windows Clipboard using WCanolmp, familiar from Canoco 4. CanoMerge has two extra facilities: it allows you to delete rare species from a data set and it can transform a Canoco formatted file to a TAB-delimited file that can be imported in spreadsheet programs. 🍌

SYSTEM REQUIREMENTS

Canoco 4.5 requires Microsoft Windows 98 or NT 4.0 or

any size Canoco 4.5 can analyze. 🍌

ON THE MACINTOSH

Canoco for Windows also runs under the emulated Windows environments provided by Soft Windows™ and Virtual PC under both Mac OS 9 and OS X. Performance is acceptable in these environments, including transfer of data to and from the Windows Clipboard. For example, you can copy data from an Excel spreadsheet on the Mac and convert the clipboard to a CANOCO data file with WCanolmp after switching to the emulated PC. 🍌

Unimodal models remains unchanged from Canoco 4 and is not included with upgrades. 🍌

TABLE OF CONTENTS

(**Boldface items new in Canoco 4.5 Manual**)

INTRODUCTION

Research questions and the ordination methods in CANOCO

Canoco for Windows
Organization of the chapters
Practical information
Further reading
Acknowledgments


GETTING STARTED

Installation
The first run: DCA
Importing data from a spreadsheet
The second run: CCA
The third run: RDA

BACKGROUND THEORY

General objective
Terminology
Models, methods, and algorithms
The two faces of (canonical) correspondence analysis
Interpreting ordination diagrams
Supplementary species, samples, and environmental variables
Permutation tests
Introduction
The basic idea
Permutation type: how are samples shuffled?
What is shuffled?
Model-based permutations
Multifactorial analysis of variance

Transformation of the species data
Centering and Standardization
Transformation of Species Data
Data editing options
Data Editing Choices
Delete Items
Set Weights for Samples / Species
Supplementary Samples / Species
Interactions of Variables
Forward selection
Forward Selection of Environmental variables
Forward Selection report
Manual Forward Selection
Global significance tests
Global Permutation Test
Specifying the randomization model
Permutation Type
Definition of Blocks
Permutation Restrictions
Grid Dimensions
Split-Plot Design I
Split-Plot Design II
Saving the project
Running the analysis and saving the log
Creating ordination diagrams
Specifying program options
RESULTS OF THE ANALYSIS
Introduction
Log-window
Log of reading of the project CON-file and the data files
Collinear environmental variables and collinear covariables
Outliers in the explanatory variables: check on influence
Correlation matrix, means, standard deviations, inflation factors
Summary of the ordination
Global permutation test
Forward selection of environmental variables
Solution file
Introduction
Relationships between ordination scores



Analysis and distance-based Redundancy Analysis. As in Canoco 4, permutation tests include tests for split-plot designs and related multi-level designs. New numerics result in faster execution and higher precision, important for large data sets and more accurate significance testing. 🍌

NEW TOOLS

The Canoco 4.5 package includes the new program CanoMerge to easily merge data sets compiled from multiple spreadsheets, working around the common 255-column limit of

later versions, including ME, 2000, XP, Vista and Windows 7. You must also have at least 32 MB of internal RAM memory and 64MB of free disk space for virtual memory. The maximum data size that can be analyzed is:

25 000	samples (n)
5000	species (m)
2000	covariables (p)
1000	environmental variables (q)

Maximum number of nonzero values in species data is 750 000, maximum value for p*n is 1 000 000, maximum value for (q - 8)*n is 500 000. CanoDraw can visualize results from data sets of

NEW MANUAL

Cajo ter Braak and Petr Smilauer have rewritten portions of the manual for this release to describe the Windows version of CanoDraw and new capabilities of the package. The booklet, *Unimodal models to relate species to environment*, is included with the package. These collected articles from peer-reviewed journals represent a wide array of CANOCO applications. By special arrangement with the original authors, the underlying data sets are included for examination and study.

RDA and CCA as regression procedures: reduced-rank regression
Compositional data
Introduction
Compositional data not containing zeroes: log-ratio analysis
Compositional data containing zeroes: CA, DCA and CCA
The two faces of compositional data revisited
Nominal response data
Canonical Variates Analysis (CVA) and discriminant analysis
Principal coordinates analysis
The stability of ordination axes
DATA INPUT
Importing from spreadsheets: Canolmp, WCanolmp
Processing capacity
Properties of the output files
Merging data tables with CanoMerge program
Linking samples in different data files
Native CANOCO formats
Full format
Condensed format
Free format
PROJECT SETUP AND ANALYSIS IN CANOCO FOR WINDOWS
Introduction
How to use Canoco for Windows
The Canoco for Windows workspace on startup
The Canoco for Windows workspace with project and log views
Project View
Selecting data sets and analysis type
Available Data
Data Files
Type of Analysis
Number of canonical axes and detrending method
Canonical Axes
Detrending Method
Scaling of ordination scores
Scaling: Linear Methods
Scaling: Unimodal Methods

Weights and the eigenvector sample scores
Species scores
Sample scores { xi* } that are derived from the species
Regression coefficients and associated t-values
Sample scores { xi' } that are derived from the environment
Inter-set correlations of environmental variables with axes
Biplot scores of environmental variables
Centroids of environmental variables in the ordination diagram
Ordination diagnostics
t-Value biplot
Species-by-environment table
CONSOLE VERSION OF CANOCO
Introduction
Differences with Canoco for Windows
Differences with CANOCO 3.x
Ways to answer the questions
Initialization file
Introductory questions
Selecting data sets and analysis type
Number of canonical axes and detrending options
Forward selection of environmental variables
Scaling of ordination scores
Ordination diagnostics
Omitting samples and selecting explanatory variables
Transformations of species data
Centering and standardization in linear methods
Output options
Additional analyses
Supplementary environmental variables
More ordination axes
Monte Carlo permutation tests
Introduction
Unrestricted permutation: common questions
Specifying blocks
Restricted permutation types



Restricted permutation types within blocks
 Forward selection dialogue
 Canoco project files
 Nonstandard analyses
CANOCO EXAMPLES

Introduction
 How to analyze the examples
 Examples from "Unimodal models to relate species to environment" re-analyzed
 Example SPIDER1 - A niche study by CA and DCA
 Example SPIDER2 - A niche study by CCA
 Example DYKE - CCA of presence / absence data
 Example ALGAE - A study of a pollution gradient
 Example DUNEBOOK - CCA and RDA on observational data
 Example WEEDS - A multi-species trend surface
 Example SEASHORE - A vegetation succession study
 Example EPIALGAE - Conditional and marginal effects
 Example STREAMS - Partial CCA on macro-invertebrates
 Example VEGCHANG - A study of change in time and space
 Example DISEASES - Reduced-rank regression

Examples of significance tests
 Example DUNETEST - Simple and partial tests
 Example PLOUGH - A randomized block experiment
 Example E40 - A multifactorial experiment with fixed factors
 Example LINES - Line transect(s) across the seashore
 Example GRID - Samples in a rectangular spatial layout
 Example SPLITPLT - A split-plot analysis
 Example BACISPE - A univariate, unreplicated BACI analysis
 Example BACIMSPE - A multivariate, unreplicated BACI analysis
 Example BACISIT - A multivariate BACI analysis with three sites
 Example BACI-REP - A multivariate, replicated BACI analysis
 Example PRC_SIM - Displaying time-dependent effects by PRC
 Example PRC - Testing time-dependent effects by PRC
 Example WELCH - A design-based test of interaction

Other ordination methods that are also available in CANOCO
 Introduction
 Example LOGRATIO - Log-ratio analysis of compositional data
 Example CVA - Canonical Variates Analysis
 Example MULTREG - Multiple regression with CANOCO

PROGRAM PRCOORD
 Working with PrCoord
 Implementation details
 How to calculate db-RDA with Canoco software
CANODRAW INTRODUCTION
CANODRAW CONCEPTS
 Types of items in Canoco and CanoDraw projects
 Indices of items
 Window types
 Graph types
 Graph object types
 Graph scaling and coordinate units
 Limiting contents of graphs
 Application-wide and project-specific options

Table of Contents Page
COMMANDS REFERENCE
 File
 New Project
 Open Project
 Open Graph
 Close
 Save
 Save As
 Export
 Visual Attributes
 Print
 Print Preview
 Print Setup
 Recently used files
 Exit

Edit
 Undo
 Redo
 Cut
 Copy
 Paste
 Delete
 Change text
 Make label vertical / horizontal
 Copy labels to Clipboard
 View
 Diagram Settings
 Visual Attributes
 Workspace Settings
 Properties Sheet
 Tree view
 Zoom
 Project Details
 Bars

Project
 Settings
 Nominal variables
 Classify
 Define Groups of
 Define Series of
 Suppress
 Enforce
 Import variables
 Export Statistics
 Manage graphs
Create
 Simple Ordination Plot
 Scatter Plots
 Biplots and Joint Plots
 Triplots
 Attribute Plots
 Recreate graph
 Range of axes
 Lock legend
 Unlock legend
Object
 Select Suchlike
 Select Similar
 Lock selected
 Unlock all
 Graph tool
Window
 Cascade
 Tile
 Arrange Icons
 Close all
 Close graphs of active project
 Open graph project
 List of windows
Help
 Help Topics
 About CanoDraw
 Tip of the Day

WORKING WITH CANODRAW
 Selecting graph objects
 Manual selection with mouse
 Rubber-band selection
 Selection by object: similar and "suchlike" items
 Selecting whole class of items
 Selecting graph object by its label and vice versa
 Locking and unlocking objects
 Finding particular object
 Modifying graph contents
 Creating graph legend
 Exploring graph contents
 Fitting regression models
 Generalized Linear Models (GLM)
 Generalized Additive Models (GAM)
 Loess (locally-weighted regression) models
 Regression diagnostics in CanoDraw

CANODRAW EXAMPLES
 SPIDER1
 SPIDER2
 DYKE
 DUNEBOOK
 WEEDS
 SEASHORE
 DISEASES
 PRC_SIM
REFERENCES
 APPENDIX A: THE EXTENDED DUNE MEADOW DATA
 APPENDIX B: MATHEMATICAL DERIVATIONS
 Environmental biplot scores represent covariances or weighted averages
 Environmental centroid scores represent class means or class totals
 Sum of all canonical eigenvalues (trace)
 APPENDIX C: FORMAT OF (W)CANOIMP FILES
 APPENDIX D: CANODRAW SOFTWARE SETUP
INDEX
 LIST OF FIGURES
 LIST OF TABLES

ORDERING INFORMATION

Please see the order form at right.
 If you own a version of Canoco prior to Canoco 4 for Windows, put your old serial number on the order form to earn a 15% discount on purchase of a new license.
 E-Mail, FAX and Phone Orders accepted.

Address Orders or Inquiries to:
Dr. Richard E. Furnas
 FurnasR@microcomputerpower.com
 Voice: USA 1 (607) 272-2188
 FAX: USA 1 (607) 272-0782
 Microcomputer Power
 111 Clover Lane Dept. U45
 Ithaca, NY 14850 USA

Please include an end-user name to insure proper notification of upgrades.
 Clearly mark all letters **AIR MAIL** to avoid delays.

A charge is added for Shipping, Handling, and Guaranteed Delivery:
 Add 20% for non-US (10% for US) destinations

Please send payment with your order, or ask to be billed. We do not accept Credit Cards, but are happy to ship at your request and send you an invoice. We will also accept purchase orders. Our terms are 30 days net. A late payment fee of US\$15.00 may be added to past due accounts.

Checks or money orders payable to:
Microcomputer Power should be in United States Funds (US\$)
 Payable on a United States Bank.

Microcomputer Power
 • Federal Employer ID# 16-1324442
 • DUNS Number: 19-931-4253

NOTICE: You are responsible for the payment of any and all applicable taxes, customs or import duties.

Please send my copy of Canoco 4.5 including CanoDraw for Windows, WCanolmp, CanoMerge and PrCoord at the special price.
 (Offer expires 17 November 2012)

New Licenses	Price	Qty	Total
Retail License:	678.00	_____	_____
Additional License:	428.00	_____	_____
Educational License:	368.00	_____	_____
Ed. Additional License:	238.00	_____	_____
Jongman et al. Book	67.99	_____	_____
Lepš & Šmilauer Book	82.97	_____	_____
Upgrade existing Canoco 4 licenses:			
License number _____ originally issued to: _____			
Upgrade Retail License:	429.00	_____	_____
Upgrade Additional License:	279.00	_____	_____
Upgrade Educational License:	249.00	_____	_____
Upgrade Ed. Additional License:	169.00	_____	_____
	Subtotal	_____	_____
	Applicable Sales Tax (NY State only)	_____	_____
	Shipping/Handling + 20% (+10% in USA)	_____	_____
	Grand Total	_____	_____

Method of Payment
 Check Enclosed Please Bill Me
 PO# _____

Bill to Address
 Name _____
 E-Mail _____
 Company _____
 Address _____
 City _____
 State _____ Zip _____

Country _____
 Daytime Phone _____
 Fax _____

Ship to Address
 Name _____
 E-Mail _____
 Company _____
 Address _____
 City _____
 State _____ Zip _____
 Country _____
 Daytime Phone _____
 Fax _____

